

Absolute Calibration of SARAL/AltiKa Satellite Altimeter Using the Permanent Facility on Gavdos, Greece

Mertikas S. P. ¹, A. Daskalakis², I. N. Tziavos³, G. Vergos³, V. Zervakis⁴

- ¹ Technical University of Crete, Geodesy & Geomatics Engineering Lab, University Campus, GR-73100, Chania, Crete, Greece, Email:mertikas@mred.tuc.gr; ² Space Geomatica Ltd., Xanthoudidou 10A, GR-73134, Chania, Crete, Greece;
- ³ Department of Geodesy and Surveying, Aristotle University of Thessaloniki, Thessaloniki, Greece.
- ⁴ Department of Marine Sciences, University of the Aegean, University Hill, Mytilene, Greece.



Abstract

This work presents the first calibration results for the SARAL/AltiKa satellite altimeter, conducted by the Gavdos/Crete permanent facility. Results are based along ascending Pass No.571. Calibration starts from 20 km and up to 7 km south of Gavdos at 40 Hz. The altimeter bias has been determined as B=-46mm±11 mm (mean value) and B= -43mm±11 mm (median value), cycles 1-11. Three GNSS receivers, along with 4 tide gauges, precise local geoid and MDT models have been used. Sea-surface heights when compared to a cross-over location against Jason-2 show that SARAL/AltiKa measures lower sea surface heights in the order of -4.6 cm (preliminary values for reliable Cycles No. 5, 6, 9). Finally, the wet troposphere biases are estimated as –4-5 mm as compared against in situ measurements.

Where








What

- Estimation of the absolute SARAL/AltiKa bias for ascending Pass No. 571, Cycles 1-11;
- Comparison of sea-surface heights against Jason-2 at the cross-over point;
- Validation of SARAL/AltiKa ionospheric GIM model products;
- Validation of SARAL/AltiKa radiometer wet troposphere model over Gavdos.

- The Gavdos/Crete calibration facilities are fully operational.
- The absolute bias is estimated by: Bias(k) = SLA(k) - SLA(k0)
- SLA(k) is the sea level anomaly, measured by the altimeter, and SLA(k0) is the sea level anomaly, measured by in-situ instruments.
- Sea-Surface heights of SARAL/AltiKa have been compared against Jason-2 at the crossover point.
- 3rd order robust regression with weights to estimate SSH at cross-over location.


Calibration Methodology & Models


	Pass No. 571	Models applied
PCA	Satellite's Point of Closest Approach to the calibration site on Gavdos	
Calibration Area	South ground track (8-20 km)	
Iono Corrections	[-21 -1] sec from PCA	Average
Dry Corrections	[-7 -1] sec from PCA	Linear Fit
Wet Corrections	[-15 -3] sec from PCA	Linear Fit
SSB Corrections	[-10 +1] sec from PCA	Cubic
N (Geoid height)	Along track interpolation of local geoid values (averaged within footprint).	
MDT	Along track cubic interpolation of MDT (RioMed & GOCE models).	




- SSH of SARAL/AltiKa against Jason-2 at the cross-over location south of Gavdos, Greece;
- Third-order polynomial of robust regression applied to estimate the SSH at cross-over location with weights Many SSH values are land contaminated because of the proximity to Gavdos coast.

Local geoid and mean dynamic topography models are reference surfaces for estimating altimeter bias at specific calibrating regions.





SARAL GIM model versus GNSS ionospheric delay estimation for Pass No. 571, Cycles 1-11 (GDR-T Data).



AltiKa radiometer model versus GNSS wet tropospheric delays. Pass No. 571 Cycles 1-11. GDR-T.

Mean = -46mm ±10mm Median = -43 mm ±10mm

Conclusions & Future Plans

- •The Gavdos Cal/Val facilities are fully operational;
 - Calibration is carried out for Jason-2 (No. 018 & 109), SARAL/Altika (No. 571);
 - The altimeter bias values for the SARAL/AltiKa satellite during one-year period (April 2013, April 2014) have been determined as
 - ☐ B=-46±11 mm (mean value) and,
 - □ B=-43±11 mm (median value), over cycles N=1-11.
 - Comparison between SARAL/AltiKa and Jason-2 sea-surface heights, within 1-3 day window at cross over, is estimated as 4.6 cm less than what Jason-2 provides.
 - Efforts to calibrate SARAL/AltiKa Pass No. 100 as well;